



FIG. 1 PRIOR ART



F16. 2



F16. 3




FIG. 4




FIG. 5¢D





FIG. 6a A






FIG. 6¢^C




FIG. 6dD





Figure 7






Figure 9







Figure 10





Air SiO₂ (225.2 nm)
SiO₂ (225.2 nm)
TiO₂ (93.5 nm)
94 – Si (707.7 nm)
92 – ITO (10 nm)
TiO₂ (87.2 nm)
glass substrate

Figure $12\overline{\mathbb{R}}$






Figure 14





Figure 15



(68.1 nm) (20 nm)

Si

274.6 nm

SiO₂

663 nm

96 – ITO 94 – Si 92 – ITO

10 nm

86.68 nm)

 SiO_2

141.8 nm

Ś

(35.48 nm)

 $\overline{\mathbf{S}}$

glass substrate






Figure $17\mathbb{R}$



SiO₂ (154.8 nm)
TiO₂ (102.3 nm)
96—ITO (20 nm)
94—Si (601.5 nm)
92—ITO (108.1 nm)
TiO₂ (158.1 nm)
| \$\instructure{9}\$

Figure 18B



Air SiO₂ (181.2 nm)
TiO₂ (186.9 nm)
96—ITO (10 nm)
94—Si (569 nm)
92—ITO (5 nm)
TiO₂ (158.3 nm)
glass substrate

Figure 198






FIG. 20






145

FIG.22åA

FIG. 2240B






FIG. 25




FIG. 26